





13. Januar 2023

baua:

Bundesanstalt für Arbeitsschutz
und Arbeitsmedizin

THEMEN

ANGEBOTE

AUFGABEN

DIE BAUA

> [Startseite](#) > [Presse](#) > [Pressearchiv](#) > [Beschränkungsvorschlag für PFAS an die Europäische Chemikalienagentur übermittelt](#)

Beschränkungsvorschlag für PFAS an die Europäische Chemikalienagentur übermittelt

REACH-Verordnung

PFAS-Initiative – Mögliche Beschlüsse

Spalte 1 Bezeichnung des Stoffes, der Stoffgruppen oder der Gemische	Spalte 2 Beschränkungsbedingungen
<p>Per- and polyfluoroalkyl substances (PFASs) defined as:</p> <p>Any substance that contains at least one fully fluorinated methyl(CF3-) or methylene (-CF2-) carbon atom (without any H/Cl/Br/I attached to it). A substance that only contains the following structural elements is excluded from the scope of the restriction: CF3-X or X-CF2-X', where X = -OR or -NRR' and X' = methyl (-CH3), methylene (-CH2-), an aromatic group, a carbonyl group (-C(O)-), -OR'', -SR'' or -NR''R''''; and where R/R'/R''/R'''' is a hydrogen (-H), methyl (-CH3), methylene (-CH2-), an aromatic group or a carbonyl group (-C(O)-).</p>	<ol style="list-style-type: none"> 1. Shall not be manufactured, used or placed on the market as substances on their own; 2. Shall not be placed on the market in: <ol style="list-style-type: none"> a. another substance, as a constituent; b. a mixture, c. an article <p>.....</p> 5. By way of derogation, paragraphs 1 and 2 shall not apply to: <ol style="list-style-type: none"> i. maintenance and refilling of existing HVACR equipment put on the market before [18 months after EiF] and for which no drop-in alternative exist until 13.5 years after EiF; j. refrigerants in HVACR-equipment in buildings where national safety standards and building codes prohibit the use of alternatives;

REACH-Verordnung

PFAS-Initiative – Zeitplan

